

## Freeform Search

Database: ☐ US Pre-Grant Publication Full-Text Database  
☐ US Patents Full-Text Database  
☐ US OCR Full-Text Database  
☐ EPO Abstracts Database  
☐ JPO Abstracts Database  
☐ Derwent World Patents Index  
☐ IBM Technical Disclosure Bulletins

Term:

system adj call adj table

Display:  Documents in Display Format:  Starting with Number Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

## Search History

DATE: Sunday, June 13, 2004 [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L52	system adj call adj table	16	L52
L51	audit\$3 with (chang\$3 or replac\$3) near address	6	L51
L50	copy\$3 near system near table	4	L50
L49	copy\$3 near system adj call adj table	0	L49
L48	l44 or l45 or l46 or L47	28575	L48
L47	719/311-332.ccls.	2471	L47
L46	707/1-10,100-103z.ccls.	10747	L46
L45	709/200-253.ccls.	15373	L45
L44	717/100-167.ccls.	3660	L44
L43	( address with system adj call adj table)	4	L43
L42	((replac\$3 or chang\$3) near address with system adj call)	5	L42
	DB=USPT; PLUR=YES; OP=OR		
L41	6684329.pn.	1	L41
L40	6684335.pn.	1	L40
L39	6686539.pn.	1	L39

BEST AVAILABLE COPY

<u>L38</u>	6687833.pn.	1	<u>L38</u>
<u>L37</u>	6687834.pn.	1	<u>L37</u>
<u>L36</u>	6694436.pn.	1	<u>L36</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L35</u>	((system near call\$1) with (wrap\$4 or proxy))	60	<u>L35</u>
<u>L34</u>	((system near call\$1) with (without or no) with (re\$1compil\$5 or re\$1instal\$6))	1	<u>L34</u>
<u>L33</u>	((check\$3 or audit\$3) with (without or no) with (re\$1compil\$5 or re\$1instal\$6))	23	<u>L33</u>
<u>L32</u>	((check\$3 or audit\$3) with (operating adj system)) with (re\$1compil\$5 or re\$1instal\$6))	2	<u>L32</u>
<u>L31</u>	((without or no) near porting with operating adj system)	0	<u>L31</u>
<u>L30</u>	((without or no) near port\$3 with operating adj system)	31	<u>L30</u>
<u>L29</u>	l13 and L26	8	<u>L29</u>
<u>L28</u>	l13 and L27	0	<u>L28</u>
<u>L27</u>	l1 and L26	81	<u>L27</u>
<u>L26</u>	((32 or 64 or sixty\$1four or thirty\$1two) near conver\$6)	16042	<u>L26</u>
<u>L25</u>	native near (code or librar\$3 or dll) with transparen\$3	6	<u>L25</u>
<u>L24</u>	((platform near independen\$2) with (proxy or stub or skeleton))	6	<u>L24</u>
<u>L23</u>	l13 and L22	2	<u>L23</u>
<u>L22</u>	(analy\$4 near (librar\$3 or dll))	512	<u>L22</u>
<u>L21</u>	((jni or java adj native) with (isolat\$3 or separat\$3) near (process or address adj space or domain))	0	<u>L21</u>
<u>L20</u>	l13 and L19	0	<u>L20</u>
<u>L19</u>	((error or corrupt) with (isolat\$3 or separat\$3) near (process or address adj space or domain))	226	<u>L19</u>
<u>L18</u>	l13 and L17	4	<u>L18</u>
<u>L17</u>	((generat\$3 or creat\$3) near (proxy or stub or skeleton) with (librar\$3 or dll))	35	<u>L17</u>
<u>L16</u>	proxy with (native near (code or librar\$3 or dll))	1	<u>L16</u>
<u>L15</u>	proxy with (jni or java adj native)	2	<u>L15</u>
<u>L14</u>	l2 and L13	30	<u>L14</u>
<u>L13</u>	native near (code or librar\$3 or dll)	829	<u>L13</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L12</u>	5560009.pn.	1	<u>L12</u>
<u>L11</u>	5787245.pn.	1	<u>L11</u>
<u>L10</u>	5838975.pn.	1	<u>L10</u>
<u>L9</u>	5901315.pn.	1	<u>L9</u>
<u>L8</u>	5901315.pn.	1	<u>L8</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L7</u>	l3 and L6	15	<u>L7</u>
<u>L6</u>	l4 or L5	4429	<u>L6</u>

BEST AVAILABLE COPY

<u>L5</u>	717/100-167.ccls.	3660	<u>L5</u>
<u>L4</u>	719/328-332.ccls.	941	<u>L4</u>
<u>L3</u>	11 and L2	88	<u>L3</u>
<u>L2</u>	((prox\$3 or stub or skeleton or transparen\$3) near (routine or function or procedure))	2473	<u>L2</u>
<u>L1</u>	((code or program) near (isolat\$3 or separat\$3))	9264	<u>L1</u>

END OF SEARCH HISTORY

BEST AVAILABLE COPY